Air Products and Chemicais, Inc. Box 538, Allentown, PA 18105 Tel. (215) 481-4911 TWX 510-651-3686 CABLE-AIRPROD TELEX 84-7416

Air Products

Industrial Gas Division

Argon
Material Safety
Data Sheet

EMERGENCY PHONE; 800—523-9374 IN PENNSYLVANIA: 800—322-9092	TRADE NAME AND SYNONYMS Argon, LAR (Liquid only)	CHEMICAL NAME AND SYNONYMS Argon
ISSUE DATE ISSUED: 13 April 1977 AND REVISIONS Rev: 16 February 1981	FORMULA Ar MW: 39.95	CHEMICAL FAMILY Inert gas

## HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

Argon is a simple asphyxiant and has no threshold limit value (TLV).

SYMPTOMS IF INGESTED, CONTACTED WITH SKIN, OR VAPOR INHALED

Argon is odorless and nontoxic, but may produce suffocation by diluting the concentration of oxygen in air below levels necessary to support life. PERSONNEL, INCLUDING RESCUE WORKERS, SHOULD NOT ENTER AREAS WHERE THE OXYGEN CONCENTRATION IS BELOW 19%, UNLESS PROVIDED WITH A SELF-CONTAINED BREATHING APPARATUS OR AIRLINE RESPIRATOR. Exposure to oxygen-deficient atmospheres may produce dizziness, nausea, vomiting, loss of consciousness, and death. Death may result from errors in judgement, confusion, or loss of consciousness which prevents self-rescue. At low oxygen concentrations unconsciousness and death may occur in seconds without warning. Extensive tissue damage or burns can result from exposure to liquid argon or cold argon vapors.

TOXICOLOGICAL PROPERTIES

Argon is nontoxic but can act as a simple asphyxiant by displacing the amount of oxygen in the air necessary to support life.

RECOMMENDED FIRST AID TREATMENT

Persons suffering from lack of oxygen should be moved to areas with normal atmosphere. SELF-CONTAINED BREATHING APPARATUS MAY BE REQUIRED TO PREVENT ASPHYXIATION OF RESCUE WORKERS. Assisted respiration and supplemental oxygen should be given if the victim is not breathing. If cryogenic liquid or cold boil-off gas contacts a worker's skin or eyes, frozen tissues should be flooded or soaked with tepid water (105-115F; 41-46C). DO NOT USE HOT WATER. Cryogenic burns which result in blistering or deeper tissue freezing should be seen promptly by a physician.

FIRE AND EXP	PLOSION HAZARD DA	ATA		
AUTO IGNITIO N/A	N TEMP FLAMMABLE LI	IMITS	LEL N/A	N/A
			91009669 <u>48549</u> 460000	CATION
9S				
PH	YSICAL DATA			
BOILING POINT (*F.)  @ 1 atm302.6F (-185.9C)				
VAPOR PRESSURE (psia) N/A			me	
SPECIFIC GRAVITY (AIR = 1) @ 68F (20C), 1 atm 1.38	LIQUID DENSITY (Ib/cu ft)  @ boiling point, 1			H,0 = 1) ht, 1 atm 1.40
	PH'  SPECIFIC GRAVITY (AIR = 1)	PHYSICAL DATA  FREEZING POINT ("F.)  @ 1 atm -308.9F (-  SOLUBILITY IN WATER @ 68F (20C), 1 atm  SPECIFIC GRAVITY (AIR = 1)  LIQUID DENSITY (Ibicu it)	PHYSICAL DATA  FREEZING POINT (*F.)  @ 1 atm -308.9F (-189.4C)  SOLUBILITY IN WATER @ 68F (20C), 1 atm 3.35% by volusting the specific gravity (AIR = 1)  SPECIFIC GRAVITY (AIR = 1)  LIQUID DENSITY (Idiculti)  SPECIFIC GRAVITY (AIR = 1)  SPECIFIC GRAVITY (AIR = 1)	PHYSICAL DATA  FREEZING POINT (*F.)  @ 1 atm -308.9F (-189.4C)  SOLUBILITY IN WATER @ 68F (20C), 1 atm 3.35% by volume  SPECIFIC GRAVITY (AIR = 1)  LIQUID DENSITY (bircu ft)  SPECIFIC GRAVITY (AIR = 1)  LIQUID DENSITY (bircu ft)  SPECIFIC GRAVITY (AIR = 1)  LIQUID DENSITY (bircu ft)  SPECIFIC GRAVITY (AIR = 1)

## DISCLAIMER

Information contained in this data sheet is offered without charge for use by technically qualified personnel at their discretion and risk. All statements, technical information and recommendations contained herein are based on tests and data which we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and no warranty of any kind is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe any patent of this Company or others covering any process, composition of matter or use.

Since the Company shall have no control of the use of the product described herein, the Company assumes no liability for loss or damage incurred from the proper or improper use of such product.

•	11 H		REACTIVITY DATA	
STABIL/TY	UNSTABLE		CONDITIONS TO AVOID	
	STABLE	Х	None	
INCOMPATIBILITY Mater None	lais to avoidi		•	
TARBOUS DECOMPOS	SITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUP		CONDITIONS TO AVOID	
	WILL NOT OCCUP	Х	None -	
			SPILL OR LEAK PROCEDURES	

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED.

Avoid contact of skin with liquid argon or its cold boil-off gas. Flush liquid argon spill with water to disperse. Ventilate enclosed areas to prevent formation of oxygen-deficient atmosphere caused by the evaporation of liquid argon or the release of gaseous argon. Argon is heavier than air and may tend to collect in low areas if ventilation is not adequate.

WASTE DISPOSAL METHOD

Allow liquid argon to evaporate in a well ventilated outdoor location remote from work areas. Vent argon gas slowly to a well ventilated outdoor location remote from work areas. Do not attempt to dispose of residual argon in compressed gas cylinders. Return cylinders to Air Products with residual pressure, cylinder valve tightly closed and valve caps in place.

## SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Use self-contained breathing apparatus in oxygen-deficient atmosphere. Caution! Respirators will not function. Use may result in asphyxiation.

PROTECTIVE GLOVES

(LAR) Loose-fitting gloves of impermeable material, such as leather. Leather work gloves are recommended when handling compressed gas cylinders.

EYE PROTECTION

Safety glasses are recommended when handling high-pressure cylinders. Chemical goggles or safety glasses should be used when handling LAR.

OTHER PROTECTIVE EQUIPMENT

™nne

## SPECIAL PRECAUTIONS\*

SPECIAL LABELING INFORMATION

Argon shipment must be in accordance with Department of Transportation (DOT) regulations using the DOT "NONFLAM-MABLE GAS" label. Consult DOT regulations for details on the shipping of hazardous materials.

SPECIAL HANDLING RECOMMENDATIONS

Prevent contact of liquid argon with exposed skin. Prevent entrapment of liquid in closed systems. Use only in well ventilated areas. Compressed gas cylinders contain argon at extremely high pressure and should be handled with care. Use a pressure reducing regulator when connecting to lower pressure piping systems. Secure cylinders when in use. Never use direct flame to heat a compressed gas cylinder. Use a check valve to prevent backflow into storage container. Avoid dragging, rolling, or sliding cylinders, even for a short distance. Use a suitable hand truck. For additional handling recommendations on compressed gas cylinders, consult Compressed Gas Association Pamphlet P-1.

SPECIAL STORAGE RECOMMENDATIONS

Store liquid containers and cylinders in well-ventilated areas. Keep cylinders away from sources of heat. Storage should not be in heavy traffic areas to prevent accidental knocking over or damage from passing or falling objects. Valve caps should remain on cylinders not connected for use. Segregate full and empty cylinders. Storage areas should be free of combustible material. Avoid exposure to areas where salt or other corrosive chemicals are present. See Compressed Gas Association Pamphlet P-1 for additional storage recommendations.

SPECIAL PACKAGING RECOMMENDATIONS

Gaseous argon containers meet DOT specifications or American Society of Mechanical Engineers (ASME) codes. Liquid argon is stored in vacuum-insulated containers meeting DOT specifications or ASME codes.

OTHER RECOMMENDATIONS OF PRECAUTIONS

Liquid argon is cryogenic liquid. Materials of construction must be selected for compatibility with extremely low temperatures. Avoid use of carbon steel and other materials which become brittle at low temperatures. Compressed gas cylinders should not be refilled except by qualified producers of compressed gases. Shipment of a compressed gas cylinder filled without the permission of the owner is a violation of Federal Law. If oxygen-deficient atmospheres are suspected or can occur, use oxygen monitoring equipment to test for oxygen-deficient atmospheres.

\*Various Government agencies (i.e., Department of Transportation, Occupational Safety and Health Administration, Food and Drug Administration and others) may have specific regulations concerning the transportation handling, storage or use of this duct which will not be reflected in this data sheet. The customer should review these regulations to ensure that he is in full compliance.